



T3DeviceSimulator

imei	a T3DeviceSimulator(#1111111111111111 \$1858983936
host	'hive.t3-platform.net':3001 running)
port	
session	
incoming	
outgoing	
messageCounter	

```

self start.
self send: (T3Message stoppedAtBetaNine: (TimeStamp now - 1 hours - 20 minutes)).
(T3LogRecord loopGroteRingHasseltStartingAt: (TimeStamp now - 1 hours - 20 minutes))
  collect: [ : each | self send: (T3Message log1: each) ].
self stop.

```

T3Message

self	a T3Message(#login #188 a
all inst vars	Dictionary('IMEI'->'353268002668388'
header	'IMSI'->'655019000321675'
payload	'PROTOCOL'->'1'
extra	'VERSION'->'Release-2.1.12:User-6719P')

```

self asByteArray #[1 1 1 2 1 89 3 1 188 5 1 193 0 40
80 82 79 84 79 67 79 76 33 49 36 73 77 83 73 47 54
53 53 48 49 57 48 48 48 51 50 49 54 55 53 39 86 69
82 83 73 79 78 32 25 82 101 108 101 97 115 101 45
50 46 49 46 49 50 58 85 115 101 114 45 54 55 49 57

```

Workspace

```

T3Message fromByteArray: (ByteArray readHexFrom:
'0101010301bc0201590501c1002850524f544f434f4c
213124494d53492f363535303139303030333231363
7352756455253494f4e201952656c656173652d322e
312e31323a557365722d363731395024494d45492f3
3353332363830303236363833383800')

```



Transcript

```

T3DeviceSimulator | Starting a T3DeviceSimulator(#1111111111111111 'hive.t3-platform.net':3001 running)
T3DeviceSimulator | Sending a T3Message(#login #1 a Dictionary('IMEI'->'1111111111111111 'PROTOCOL'->'1 'VERSION'->'Smalltalk T3DeviceSimulator 1.0' ))
T3DeviceSimulator | Received a T3Message(#sessionAck #1 $1858983936 a Dictionary('TIME'->'390685356' ))
T3DeviceSimulator | Handling session ack, session now is 1858983936
T3DeviceSimulator | Server Clock = 18 May 2012 7:42:36 pm - Local Clock = 18 May 2012 7:42:36 pm - Delta = 0:00:00:00
T3DeviceSimulator | Sending a T3Message(#log1 #2 $1858983936 a T3LogRecord(18/05/2012 20:22:59 +4800 5.33732@50.926 H 0km/h 0m ))
T3DeviceSimulator | Received a T3Message(#ack #2)
T3DeviceSimulator | Ack matched a T3Message(#log1 #2 $1858983936 a T3LogRecord(18/05/2012 20:22:59 +4800 5.33732@50.926 H 0km/h 0m ))
T3DeviceSimulator | Successfully sent a T3Message(#log1 #2 $1858983936 a T3LogRecord(18/05/2012 20:22:59 +4800 5.33732@50.926 H 0km/h 0m ))

```



- Binary Protocol Development
- Interactive Prototyping & Debugging
- Simulation & Reverse Engineering
- UDP Client & Server
- Translating Proxies In Production



- Pharo Smalltalk 1.2 & 1.3
- Objects Everywhere
- Standard Networking
- World Class IDE
- Seaside Server Management

